

**EVOKING
LUXURY**



ORELIA
GROUP

**DELIVERING
SPLENDOUR**



INTRODUCTION

ORELIA
GROUP




Concepts for
Urban Spaces

**We bring you
magnificent range of
superior surfaces with
the magnificent
Collection that
Collection the style of
a space with its
poised and appealing
designs.**

The colossal surfaces of the Collection are synonymous with luxury, radiance, and upscale living to design your spaces class-apart and truly matchless. These surfaces are specially designed to give your spaces the essence of grandeur and eliteness paired with unprecedented features, functionality, versatility, and elegance.

We believe in living life king size and with this belief, we offer grand-sized surfaces to create larger-than-life spaces that deliver a sense of surreality and luxury.



THE SPECTACULARLY GLOSSY SURFACE



Discover the
blend of
technology
and innovation

ORELIA
GROUP

**The splendid Surface
promises a sense of
infinity and
sophisticated feel for
a place with its
extravagant style.
These tiles bring an
effervescence vibe
and charming poise
to the interior.**

Spaces are blank pages that one can decorate in their personal style and write their lifestyle story. Every space lights up when the right elements come together and adding gloss to it just enhances the mood of the space. The tiles of amazing collection have a premium high gloss finish that expresses extravagance and delivers an elite experience. These surfaces enlighten spaces through their opulence and captivating semblance.



CONCEPTUALIZE YOUR SPACE IN A SUMPTUOUS STYLE

The spectacular collection is the epitome of grandeur and style. With this collection of brilliant Surfaces, luxury has a new size. They are designed to adorn places with a spacious look and chic style. The tiles of this collection are available in the grand size of 800x2400mm to create a lavish landscape.

Types of Body

The Surface of the elegant Collection is an amalgamation of high gloss finish tiles available in four color bodies. These Surfaces shape spaces with utmost sophistication and chic style by embodying grace, poise, and grandeur.




BIG SIZE SLABS



The 15mm thickness assures a sturdy and durable structure with its toughness. These surfaces enhance the spaces by fabricating modish tones for versatile areas.

PERSONALIZE SPACES WITH VERSATILE APPLICATIONS

The brilliance and magnificence of the Surface enhance the aesthetic experience of a place.











The aesthetical richness of our surfaces engulfs places in an oasis of surreal ambient with their mesmeric appeal. These majestic surfaces offer multiple installing options with their rich functionalities, sense

of comfort and pleasing designs. These tiles can be installed on countertops, furniture, floors, walls, staircase and many other areas of commercial as well as residential places.



Application Areas

- | | |
|---|---|
|  Countertop |  Staircase |
|  Dining tabletop |  Window & Door Frame |
|  Lift Frame |  Basin & Furniture |
|  Bathroom |  Fireplace |
|  Worktop |  Wall Cladding |
|  Elevation |  Floor Covering |

DESIGN SPACES WITH HIGH AESTHETIC IMPACT



DESIGN ELEMENTS
THAT STAND OUT



The mesmerizing Surface adds character and poise to a place with its vivacious design and marvellous size.

ORELIA
GROUP

The brilliant Surface is versatile in its surface. This collection creates the ideal ambience for various spaces like countertops, worktops, dining tables, staircases, and a lot more.



INSTALL FURNITURE
ELEGANT AND SUPERIOR

FOR SEAMLESS FUNCTIONALITY

In this time and age, hygiene, cleanliness and comfort is a priority and everyone requires a place where they feel completely at home. The multifaceted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area. These surfaces with their convenient features offer an ideal tiling solution for a modern lifestyle.

ORELIA
GROUP

TECHNICAL FEATURES



Hygienic and Suitable for
Contact with Food



Water Resistant
Surface



Stain Resistant
Surface



Scratch and
Abrasion Resistant



Resistant to Chemicals,
Acids, Bases, and Solvents



Easy to Clean
Surface



Impact Resistant
Surface

Resistant to
UV Rays

Resistant to Mould,
Mildew, And Fungus

Resistant to
Fire and Heat

Frost Resistant
Surface

Flatness and
Stability Over Time

A GLORIOUS SELECTION

WHITE BODY

CRYSTAL BIANCO



STATUARIO SCALA



STATUARIO GREY



STATUARIO SILK



STATUARIO PEARL



STATUARIO NATURAL



STATUARIO AFGHAN



CALACATTA BELISIMO



STATUARIO GOLD



VOLAKAS GRIGIO



PINK ONYX



PRIMAVERA



BRAZZILIAN GRANITE



BLACK BODY

PIANO BLACK




BELGIUN BLACK



MARQUINA BLACK



LAURENT NOIR



BLACK GOLD



SILVER PORTORO



GOLDEN PORTORO



ANTICO BLACK



LABRADORITE



MUSHROOM GRANITE



OCEAN VOLGA



BROWN BODY

IMPERIO ARMANI GREY



FRENCH GREY



BROWN BODY

BOTTOCHINO CLASSICO




BRECCIA AROURS



RIO CREMA




We offer a colourful palette of tiles with the Surface availing a spectrum of design options that help bring a designer's vision to life. These tiles make places desirable with their classy look and timeless shades that perfectly match the architectural style of urban spaces.



CRYSTAL BIANCO

Size 800x2400mm
 Surface High Gloss
 Thickness 15mm
 Type White Body



STATUARIO SCALA

Size 800x2400mm
 Surface High Gloss
 Thickness 15mm
 Type White Body





Kitchen Counter Top
Statuario Grey

Backsplash
Statuario Grey



STATUARIO GREY

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body






Kitchen Counter Top
Statuario Pearl



STATUARIO SILK

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body



STATUARIO PEARL

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body





Wall
Statuario Natural

Sink
Laurent Noir



STATUARIO NATURAL

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body



STATUARIO AFGHAN


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body






CALACATTA BELISIMO

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body



STATUARIO GOLD


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body





Basin
Pink Onyx

Bathtub
Pink Onyx



VOLAKAS GRIGIO

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body



PINK ONYX

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body





PRIMAVERA


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body



BRAZZILIAN GRANITE

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type White Body





PIANO BLACK

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body




BELGIUN BLACK

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body






Door And Window Frame
Laurent Noir



MARQUINA BLACK

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body



LAURENT NOIR


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body





Staircase
Black Gold


Floor
Statuario Gold



BLACK GOLD


Size **800x2400mm**
Surface **High Gloss**
Thickness **15mm**
Type **Black Body**





SILVER PORTORO


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body



GOLDEN PORTORO


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body





ANTICO BLACK


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body



LABRADORITE


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body





MUSHROOM GRANITE

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body



OCEAN VOLGA

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Black Body





Table Top **Imperio Armani Grey**




IMPERIO ARMANI GREY

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Grey Body





Kitchen Counter Top
French Grey



FRENCH GREY

Size **800x2400mm**
Surface **High Gloss**
Thickness **15mm**
Type **Grey Body**





Wall
Bottochino Classico

Floor
**Bottochino Classico &
Black Gold**



BOTTOCHINO CLASSICO

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Ivory Body





Floor
Breccia Arous



BRECCIA AROURS

Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Ivory Body





Floor
Rio Crema



RIO CREMA


Size 800x2400mm
Surface High Gloss
Thickness 15mm
Type Ivory Body



Slab Handling

Tools suggested for handling


For handling the enormously sized slabs, we recommend careful handling with the help of four handlers at the same time in case of the largest size and at least two handlers for the smaller sizes of the slabs.



Reinforced trolley




Parallel & transverse guides




Single & Double suction cup

Handling instructions


We recommend the use of a kit of devices designed especially for the handling of large-size slabs.



We recommend carrying out the handling job of the slabs with four handlers at the same time.



Ensure proper suction with a vacuum between the device and the slab and use a single device/suction cup for a maximum length of up to 150cms.



To lift the slabs use sucker cups after cleaning the slab and cups with a damp sponge. Make sure the device also has suckers that run along with the guides and adhere to the slab.




To lift the slab use guides from the long sides of the slab and lift/hang it vertically to the handles of the trolley frame. Use appropriate size reinforced trolley for various sizes of slabs.

Slab Cutting & Drilling


Tools suggested for cutting and drilling



Workbench with aluminum profiles



Cutting unit




Diamond polishing pads


Manual cutting instructions




Lay the slab on a flat surface and preferably on a workbench with aluminum profiles. Make sure the surface is stable for both cutting and drilling.



Make markings on the slab according to the desired cutting and drilling need.




After scoring the length and making the cut, move the slab out of the workbench till the incision line and split from both sides using cutting-off pliers.



Smooth the edges of the length cut with a diamond polishing pad.

Slab Laying


Tools suggested for Laying



3mm & 10mm trowel




Rubber trowel & Spacers




Device for plate's pulling over and Leveling wedges & clips

Slab Laying Instructions


Check the laying substrate. Make sure it is clean, mature, and homogeneous with no cracks.



Apply adhesive onto the back of the slab with a 3mm trowel in one direction only.




Apply adhesive onto the floor substrate at the same time while applying on the slab with a 15mm U-notch or 19mm V-notch trowel in the same direction as the slabs.




Position the slab on the adhesive bed with a sucker frame with adjustment of a minimum of 3mm joint.



Tap the slab from the center to the edges with a rubber trowel to expel air. Make sure air is expelled and there is no bubble between the slab and the substrate.




Complete the laying of the slab with a suitable sealant while keeping a 3mm joint through spacers. The special device of pulling over the slabs can be used for easy laying and spacing.




Level the wedges at each linear meter of the slab.


Slab Edge Possibilities




1-1/2" Dupont Bullnose




1-1/2" Pencile Edge




1-1/2" Dupont Square



1-1/2" Revers Bevel



3/4" Dupont Demi



1-1/2" Dupont Step Square

Cleaning & Maintenance

High-quality raw materials, rigorous production parameters, and world-class technology make the exclusive offering nonporous and thus no dust or deposited waste penetrates the surface.

The no-maintenance surfaces require only a damp cloth for cleaning.

Routine and recurring cleaning spotlights the aesthetic features of the surfaces and keeps the surfaces shining.

For cleaning contamination and stains caused by some common food and other material follow the table below:

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	STANDARD AS PER IS 15622:2017 Gr.B1a	MEAN VALUE OF OUR	METHOD OF TESTING
Regulatory Properties				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	± 5.0 %	ISO 10545-2/IS 13630-1
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	± 0.10 %	ISO 10545-2/IS 13630-1
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	± 0.10 %	ISO 10545-2/IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	≥ 90	Gloss Meter 60°
Glossiness (Satin)	As per Manufacturer	As per Manufacturer	7 ≤ Gloss Value ≤ 25	Gloss Meter 60°
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	Min. 40.0 N/mm ²	ISO 10545-4/IS 13630-6
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	Polished Min 4**/ Satin & Posh Min 6	BS EN 15771/IS 13630-13
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Min II**/ Satin & Posh Min III	ISO 10545-7/IS 13630-11
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 3/Min. Class 1	ISO 10545-14/IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/Min Class AA	ISO 10545-13/IS 13630-8
Resistance to Low Concentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/ Min Class A***	ISO-10545-13/IS 13630-8
Resistance to High Concentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/IS 13630-8
Safety Properties				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	Glossy ≥PQ,Satin,Posh ≥PI	BS 7976-2
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb &Cd	ISO-10545-15

Packing Detail

SIZE	THICKNESS	PCS/BOX	AREA/BOX	BOX/WT.
800x2400mm	15mm	1 pc	1.92 mt ²	67 kg

Head Office: 86/2, Lower Ground Floor, Government College Rd, Civil Lines,
Ludhiana, Punjab 141001, India

Mr. Vishal Sharma
(International Export Manager)

M: +91 9915406626

Email : ib@orelia.co.in

ORELIA
GROUP