

# ORELIA GROUP

### CORPORATE BROCHURE

Quality Products Begin With Quality Thinking! Mfrs.of: A WIDE RANGE OF TRACTOR PARTS



For more information contact us : ib@orelia.co.in





#### Message From Management's Desk

"Orelia Group" one of the most dynamic, prolific, result, oriented, progressive and quality conscious group is catering to the needs of the prestigious customers like you in the international market for more than the last 3 decades. All our quality utilized tractor parts, are checked, cleaned and repaired as important to ensure every part sold is prepared for use. We will likely give remarkable quality and amount to our clients.



All the Tractor Parts manufactured in our unit pass under internationally recognized quality standards.

With importance to creativity and innovation, offering services of the highest standard is our prime priority. Our quality control experts ensure that our manufactured implements are thoroughly tested.





GROUP



Spread over an area of 41,480 square meters, our manufacturing unit is equipped with the most advanced equipment in the country, enabling production of a wide range of agriculture implements. Our production line has the finest quality machines such as a fiber CNC laser cutting machine, a CNC plasma cutting machine, a hydraulic press brake for shearing and bending, a hydraulic power press, a radial drilling machine, EOT cranes and forklifts for material handling, a grinder-polisher, and a sandblasting machine for surface treatment. The facility is also equipped with various MIG sets and robotic-controlled dual auto spot welding machine for welding.


The outcome from such capable production lines is agriculture implements of the highest standard. Allin-all, it is the dedication and hard work of our employees as a team that describes the reason behind our success.



#### **OUR INFRASTRUCTURE COMPRISES:**

State-of-the-art facility equipped with advanced tools and machinery. World-class manufacturing and fabrication lines. In-house manufacturing of all agriculture implements and related components. Sharp focus on maintaining high safety standards for all employees. Department of Scientific and Industrial Research (DSIR) in-house research and development wing. End-to-end solutions starting from product design to manufacturing to final delivery. Huge production capacity ensuring bulk and faster manufacturing of products.





# INFRASTRUCTURE







#### Why Choose Us?

- Sprawling manufacturing area spread over 41,480 Sq. mts enabling faster and on time product deliveries.
- Leveraging on vast experience of parent company in manufacturing diverse range of products.
- World Wide Customer network
- ISO Certified and Export House approved by Government of India.
- Implements with highest quality and safety standards.
- Environment friendly, cost and fuel saving.

#### **OUR PHILOSOPHY**

Bringing innovation in agriculture and making it more economical and prosperous by manufacturing high-quality agricultural & Machinery Spare Parts, Trailer Spare Parts & Customized Products.



#### **OUR MISSION**


To emerge as a preferred solution provider for quality products with a team of dedicated professionals and business associates who are ethical, value driven and create excellent customer relationships.



"Our teams are passionate about finding a "better way". Their design and production standards are acknowledged by customers as "world's best" and delivery experience. Our team is training staff and customers in applying techniques to help make them best prepared for change and best equipped to manage it.




We have appointed a team of diligent and adroit professionals, which is able to execute every assigned task proficiently. They have specialization in the concerned area of work that enables us to work as per the specified requirements of our honored customers.





CODE	A Pipe Diameter	Wheel Size	Pipe Lengt h	в	с	D
SOPJ01	35	160x43	220	310	100	465
SOPJ02	42	200x50	195	390	120	590
SOPJ03	48	200x50	195	390	120	590
SOPJ04	48	250x85	175	420	150	625
SOPJ05	60	255x80 🥖	400	430	150	720
SOPJ06	60	220x70	500	560	350	1060
					1.	1




#### PARKING JACK HEAVY TYPE WITH REDUCTION GEAR AND LATERAL HANDLE

CODE	Dim. A	Dim. B	Dim. C	E	F	н	S	STROKE	Static Cap.
SOPJ001HWG	70	500	220	220	185	620	3	400	3000
SOPJ002HWG	70	600	220	220	185	720	3	500	3000
SOPJ003HWG	70	700	220	220	185	820	3	500	3000
SOPJ004HWG	70	800	220	220	185	920	3	500	3000
SOPJ005HWG	80	500	220	220	180	620	3	400	3000
SOPJ006HWG	80	600	220	220	180	720	3	500	3000
SOPJ007HWG	80	800	220	220	180	920	3	500	3000



#### PARKING JACK "LIGHT TYPE"

CODE	Dim. A	Dim. B	Dim. C	Е	н	SE	SI	D	STROKE	STATIS CAP.
SOPJ001L	40	360	115	95	500	2	2	18	250	400
SOPJ002L	60	660	115	160	840	3	2	18	450	700
SOPJ003L	50	460	115	160	610	3	2	18	250	600
SOPJ004L	50	560	115	160	710	3	2	18	350	600
SOPJ005L	60	460	115	160	610	3	2	18	350	700
SOPJ006L	60	560	115	160	710	3	2	18	450	700
SOPJ007L	70	460	180	160	640	3	3	22	350	1200
SOPJ008L	70	660	180	160	840	3	3	22	500	1200
SOPJ009L	70	660	180	160	840	3	3	22	500	1200





#### PARKING JACKS HEAVY TYPE

CODE	Dim. A	Dim. B	Dim. C	Е	н	S	D	Stroke	Static Cap.
SOPJ001H	40	300	115	95	440	2	18	150	400
SOPJ002H	40	400	115	95	540	2	18	250	400
SOPJ003H	40	500	115	95	640	2	18	350	400
SOPJ004H	50	300	135	160	480	3	22	150	800
SOPJ005H	50	400	135	160	580	3	22	250	800
SOPJ006H	50	500	135	160	680	3	22	350	800
SOPJ007H	50	600	135	160	780	3	22	500	800
SOPJ008H	50	400	135	160	580	3	22	250	800
SOPJ009H	60	400	135	160	580	3	22	250	1000
SOPJ010H	60	500	135	160	680	3	22	350	1000
SOPJ011H	60	600	135	160	780	3	22	500	1000
SOPJ012H	60	700	135	160	880	3	22	500	1000
SOPJ013H	60	500	135	160	680	3	22	350	1000
SOPJ014H	70	400	180	160	580	3	28	300	1800
SOPJ015H	70	500	180	160	680	3	28	400	1800
SOPJ016H	70	600	180	160	780	3	28	500	1800
SOPJ017H	70	700	180	160	880	3	28	500	1800
SOPJ018H	80	400	180	220	590	3	28	300	2000
SOPJ019H	80	500	180	220	690	3	28	400	2000
SOPJ020H	80	600	180	220	790	3	28	500	2000
SOPJ021H	100	500	180	220	690	4	28	400	2200
SOPJ022H	100	700	180	220	890	4	28	500	2200


#### PARKING JACK WITH LATERAL HANDLE


CODE	Dim. A	Dim. B	Dim. C	E	F	н	S	STROKE	Static Cap.
SOPJ01WH	60	550	170	160	150	565	3	350	1000
SOPJ02WH	80	550	170	160	150	580	3	350	1000


#### PARKING JACK HEAVY TYPE WITHOUT FOOOATE

CODE	Dim. A	Dim. B	Dim. C	н	s	D	Strok e	Static Cap.
SOPJWOFP01	40	400	115	535	2	18	250	400
SOPJWOFP02	50	400	135	565	4	22	250	800
SOPJWOFP03	60	400	135	1256	4	22	250	1000
SOPJWOFP04	70	500	180	665	4	28	400	1800
SOPJWOFP05	80	500	180	665	4	28	400	2000

#### KUBOTA TYPE BASE BRACKET










#### HARROW DISC / DISC BLADES **DISCHI FRANGIZOLLE**

CODE	Dia. inch		Туре	Thick mm	Concavity
SHD16035	16	410	SMOOTH	3	37
SHD1603N	16	410	NOTCHED	3	37
SHD1803S	18	460	SMOOTH	3	46
SHD1803N	18	460	NOTCHED	3	46
SHD18355	18	460	SMOOTH	3.5	46
SHD1835N	18	460	NOTCHED	3.5	46
SHD20355	20	510	SMOOTH	3.5	57
SHD2035N	20	510	NOTCHED	3.5	57
SHD2245S	22	560	SMOOTH	4.5	68
SHD2245N	22	560	NOTCHED	4.5	68
SHD2206S	22	560	SMOOTH	6	68
SHD2206N	22	560	NOTCHED	6	68
SHD2445S	24	610	SMOOTH	4.5	81
SHD2445N	24	610	NOTCHED	4.5	81
SHD2406S	24	610	SMOOTH	6	81
SHD2406N	24	610	NOTCHED	6	81
SHD2605S	26	660	SMOOTH	5	97
SHD2605N	26	660	NOTCHED	5	97
SHD2606S	26	660	SMOOTH	6	97
SND2606N	26	660	NOTCHED	6	97
SHD2806S	28	712	SMOOTH	6	102
SHD2806N	28	712	NOTCHED	6	102
EHD2808S	28	712	SMOOTH	8	102
EHD2808N	28	712	NOTCHED	8	102

#### **DISC HARROW AXLE**

CODE	Dim. A	Dim. B	Dim. C	Dim. D	Thread E
SDHAO1	7/8	22"	1/2"	1-3/8"	7/8" UNC
SDHAO2	7/8	22-1/2"	1/2"	1-3/8"	7/8" UNC
SDHAO3	7/8	25-1/4"	1/2"	1-3/8"	7/8" UNC
SDHAO4	7/8	26"	1/2"	1-3/8"	7/8" UNC
SDHAO5	7/8	30-1/2"	1/2"	1-3/8"	7/8" UNC
SDHAO6	7/8	33"	1/2"	1-3/8"	7/8" UNC
SDHAO7	7/8	39-1/8"	1/2"	1-3/8"	7/8" UNC
SDHAO8	7/8	40-1/4"	1/2"	1-3/8"	7/8" UNC
SDHAO9	7/8	41-3/4"	1/2"	1-3/8"	7/8" UNC
SDHA10	1"	19"	1/2"	1-1/2"	1" UNC
SDHA11	1"	26-1/2"	1/2"	1-1/2"	1" UNC
SDHAI2	1"	34"	1/2"	1-1/2"	1" UNC
SDHA13	1-1/8"	12"	1/2"	1-5/8"	1-1/8"UNC
SDHA14	1-1/8"	26-1/4"	1/2"	1-5/8"	1-1/8"UNC
SDHA15	1-1/8"	22"	1/2"	1-5/8"	1-1/8"UNC
SDHA16	1-1/8"	31"	1/2"	1-5/8"	1-1/8"UNC
SDHA17	1-1/8"	31-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA18	1-1/8"	34"	1/2"	1-5/8"	<u>1-1/8"UNC</u>
SDHA19	1-1/8"	40"	1/2"	1-5/8"	1-1/8"UNC
SDHA20	1-1/8"	40-1/4"	1/2"	1-5/8"	1-1/8"UNC
SDHA21	1-1/8"	42"	1/2"	1-5/8"	1-1/8"UNC
SDHA22	1-1/8"	49-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA23	1-1/8"	56-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA24	1-1/8"	58-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA25	1-1/8"	64"	1/2"	1-5/8"	1-1/8"UNC
SDHA26	1-1/8"	67-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA27 SDHA28	1-1/8"	71-1/2"	1/2"	1-5/8	1-1/8"UNC
	1-1/8"	76-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA29 SDHA30	1-1/8"	79"	1/2"	1-5/8"	1-1/8"UNC
SDHA30	1-1/8"	85-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA31	1-1/8"	94-1/2"	1/2"	1-5/8"	1-1/8"UNC
SDHA32 SDHA33	1-1/8"	95-11/16"	1/2"	1-5/8"	1-1/8"UNC
20HA33	1-1/8"	104-11/16"	1/2"	1-5/8"	1-1/8"UNC



# Head shape can be round also.# Any size with Nut & Lock Washer.# Painted Black or as per Customer's choice.# Round or Sharp Edges as per Customer's choice.



	50mm	PART NO:	PACK TYPE:	FINISH:
		STB3551C	BULK	CHROME
REP	Line Contraction	3.5 Ton. 50mm Tov		
	7/8*		S. S. S.	Con la
		PART NO:	PACK TYPE:	FINISH:
		STB5062C	DISPLAY	CHROME
	22mm	TTB5062Z 3.5 Ton. 50mm Tov Shank size 7/8" dia 3500kg.	DISPLAY v Ball meter x 62mm length,	ZINC towing capacity
	50mm	PART NO: TTB5062FC	PACK TYPE: BULK	FINISH: CHROME
	UUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUU	3.5 Ton. 50mm Tov Shank size 7/8″ dia 3500kg.	v Ball With Flat Flange meter x 67mm length,	es towing capacity
		PART NO:	PACK TYPE:	FINISH:
	Bomm Tamm	STB5080C 2.5 Ton. 50mm Tow Shank size 7/8" dia 2500kg.	BULK v Ball meter x 80 mm length	CHROME
	7/8"	and and a second		
	50mm	PART NO: STB5051HRC	PACK TYPE: BULK	FINISH: CHROME
	Stimm Stimm	2 Ton. 1"Hi Rise 50		






• Towing kits consist of 50mm x 50mm tow ball mount, 50mm chrome tow ball, hitch cover and chrome hitch pin with "R" clip.



150












#### TOW BALLS MOUNTS

• SOHI range of tow ball mounts suit 50mm 50mm hitch receiver, have a high quality black powder coat finish, a 3500kg maximum towing capacity.








#### BCW SHACILLES UNT

		P	ART NO	PACK	TYPE:
			SBS20	DISPLAY	CARTON
			ow Shackle	-	
		2	0 <mark>mm - galvani</mark> s	ed, load rating 47	50kg
Statement of the second	10				
				- XI	
			-	- 12	
		100000			
	1				
DEE SHACKLES	1	1			
Anna and an	DADTNO				0175.
	PART NO: SDS08	PACK TY BUL		FINISH: alvanised / Zinc	SIZE: 8mm
	SDS00	BUL		alvanised / Zinc	8mm
	SDS10	BUL		alvanised / Zinc	12mm
	30312	DOL			12/11/1
					A STATE
					1.7.80
					10030
					2.65
SAFETY CHAIN					134.2
					15 and
00 00	PART NO:	PACK TYPE:	FINISH:	RATING:	SIZE:
5 2	SSC06	BULK	ZINC	1000kg	6mm
2 5	SSC08	BULK	ZINC	1600kg.	8mm
s' z'	SSC10	BULK	ZINC	2500kg.	10mm
2 5	SSC13	BULK	ZINC	3500kg.	13mm
0 0					100 million
					- 10-00
OCKEY WHEEL U-BOLT					1.000
OCKET WHILLE O-BOET					1365367
and the second second	PART NO:	``A″	"B″	"C"	"D"
	SJWUB7550	50	75	45	12
	SJW0B7530	75	75	45	12
Cator I I I I I I I I I I I I I I I I I I I	SJW0B75100	100	75	45	12
	SJWUB6075	75	60	25	12
	SJWUB10075	75	100	45	12
	35110073	75	100	15	12
		. (	A) 75mm (D)1	2mmj	
	and the second		1. Taken		
				<u>C</u>	
				(C)12mm	
		(B)100mm			
		(B)			
		14			
16			for more	information contac	t us ib@ore






WINCH SUPPORT U-BOLT



#### MAIN RAIL U-BOLTS



Page - 17

135mm








hooked around the towball or ideally attached to a loop provided on the towbar.





#### BRAKE ACCESSORIES







#### BRAKE CALIPER MOUNTING PLATES



#### COUPLING SECURITY LOCKS

PART NO	PACK TYPE:	FINISH:						
SCSLF(A)	BULK	ZINC, YELLOW POWDER COATING						
SCSLHUT(B)	BULK	ZINC, YELLOW POWDER COATING						
SCSLFK (C)	BULK	ZINC, YELLOW POWDER COATING						
SCSLRK(D)	BULK	ZINC, YELLOW POWDER COATING						
Trailer Coupling Lock								

Heavy duty position locking system. Secures trailer when attached to vehicle and when unattached includes padlock.



#### WOOD YOKE STEM (complete with bolt and nut)

PART NO	PACK TYPE:	FINISH:						
SWYS6S	BULK	6″ Straight						
SWYS8S	BULK	8″ Straight						
SWYS8A	SWYS8A BULK							
Wood Yoke								




Page - 56

(A)



#### STUB AXLE - BLACK FINISH






#### FISH PLATE


PART No:	``A″	``В″	"C"	"D″	"Е″	"F″	``G″	PACK TYPE:	FINISH:
SFP44	95mm	90mm	10mm	44mm	44mm	16mm	16mm	BULK	BLACK
SFP39	95mm	90mm	10mm	44.50mm	39mm	15mm	15mm	BULK	BLACK
SFP49	95mm	90mm	8mm	45mm	49mm	14mm	14mm	BULK	BLACK
SFP65	115mm	130mm	10mm	56mm	65mm	17.5mm	17.5mm	BULK	BLACK
SFP61	100mm	100mm	10mm	50mm	61mm	17.5mm	17.5mm	BULK	BLACK
SFP39	95mm	90mm	7mm	45mm	39mm	20mm	16mm	BULK	BLACK
SFP39G	95mm	90mm	7mm	45mm	39mm	20mm	16mm	BULK	BLACK
SFP39B	95mm	90mm	7mm	45mm	39mm	20mm	16mm	BULK	GALVANISED

#### Fish Plate

Suit U bolt from 39mm to 50m with 45wide leaf spring













TANDEM SPRING KIT








TANDEM ROCKER ARMS








#### SHACKLE PINS AND BOLTS





#### TRAILER TAILGATE ACCESSORIES





....

## **ORELIA** GROUP

Head Office: 86/2, Lower Ground Floor, Government College Rd, Civil Lines, Ludhiana, Punjab 141001, India

#### **Mr. Vishal**

(International Export Manager) M:+91 9915406626

Email : ib@orelia.co.in

