



ORELIA

GROUP

ORELIA GROUP

CERTIFIED COMPANY

CORPORATE BROCHURE



Quality Products Begin With
Quality Thinking!

Mfrs. of : A WIDE RANGE
OF TRACTOR PARTS



GROUP

For more information contact us : ib@orelia.co.in



Message From Management's Desk

"Orelia Group" one of the most dynamic, prolific, result, oriented, progressive and quality conscious group is catering to the needs of the prestigious customers like you in the international market for more than the last 3 decades. All our quality utilized tractor parts, are checked, cleaned and repaired as important to ensure every part sold is prepared for use. We will likely give remarkable quality and amount to our clients.

QUALITY POLICY

All the Tractor Parts manufactured in our unit pass under internationally recognized quality standards.

With importance to creativity and innovation, offering services of the highest standard is our prime priority. Our quality control experts ensure that our manufactured implements are thoroughly tested.



Spread over an area of 41,480 square meters, our manufacturing unit is equipped with the most advanced equipment in the country, enabling production of a wide range of agriculture implements. Our production line has the finest quality machines such as a fiber CNC laser cutting machine, a CNC plasma cutting machine, a hydraulic press brake for shearing and bending, a hydraulic power press, a radial drilling machine, EOT cranes and forklifts for material handling, a grinder-polisher, and a sandblasting machine for surface treatment. The facility is also equipped with various MIG sets and robotic-controlled dual auto spot welding machine for welding.

The outcome from such capable production lines is agriculture implements of the highest standard. All-in-all, it is the dedication and hard work of our employees as a team that describes the reason behind our success.



OUR INFRASTRUCTURE COMPRISES:

State-of-the-art facility equipped with advanced tools and machinery.

World-class manufacturing and fabrication lines.

In-house manufacturing of all agriculture implements and related components.

Sharp focus on maintaining high safety standards for all employees.


Department of Scientific and Industrial Research (DSIR) in-house research and development wing.

End-to-end solutions starting from product design to manufacturing to final delivery.

Huge production capacity ensuring bulk and faster manufacturing of products.



INFRASTRUCTURE



Why Choose Us?

- Sprawling manufacturing area spread over 41,480 Sq. mts enabling faster and on time product deliveries.
- Leveraging on vast experience of parent company in manufacturing diverse range of products.
- World Wide Customer network
- ISO Certified and Export House approved by Government of India.
- Implements with highest quality and safety standards.
- Environment friendly, cost and fuel saving.

OUR PHILOSOPHY

Bringing innovation in agriculture and making it more economical and prosperous by manufacturing high-quality agricultural & Machinery Spare Parts, Trailer Spare Parts & Customized Products.

OUR MISSION

To emerge as a preferred solution provider for quality products with a team of dedicated professionals and business associates who are ethical, value driven and create excellent customer relationships.

OUR VISION

"Our teams are passionate about finding a "better way". Their design and production standards are acknowledged by customers as "world's best" and delivery experience. Our team is training staff and customers in applying techniques to help make them best prepared for change and best equipped to manage it.


OUR TEAM

We have appointed a team of diligent and adroit professionals, which is able to execute every assigned task proficiently. They have specialization in the concerned area of work that enables us to work as per the specified requirements of our honored customers.

HITCH PIN WITH CHAIN & LINCH PIN



CODE	A	B	C	D
SHWLP12093	12.7	92.5	6.5	127
SHWLP12111	12.7	111	6.5	146
SHWLP16103	15.9	103	6.5	136
SHWLP16111	15.9	111	6.5	146
SHWLP16165	15.9	165	6.5	200
SHWLP19102	19	102	6.5	140
SHWLP19110	19	110	6.5	140
SHWLP19111	19	111	8.5	148
SHWLP19115	19	115	12	153
SHWLP19164	19	165	8.5	200
SHWLP19165	19	165	6.5	204
SHWLP19166	19	165	8.5	204
SHWLP22115	22	115	6.5	153
SHWLP22128	22	128	6.5	168
SHWLP22164	22	165	6.5	200
SHWLP22165	22	165	10	204
SHWLP25165	25	165	10	204
SHWLP25166	25	165	6.5	204
SHWLP25189	25	189	12	227
SHWLP28100	28	100	12	138
SHWLP28120	28	120	10	158
SHWLP28156	28	156	12	196
SHWLP28165	28	165	6.5	204
SHWLP28190	28	190	6.5	228
SHWLP28189	28	189	12	228
SHWLP30183	30	183	12	220
SHWLP32162	32	162	6.5	204
SHWLP32189	32	189	12	227
SHWLP32165	32	165	10	204
SHWLP32191	32	191	6.5	228
SHWLP35189	35	189	12	227
SHWLP38187	38	187	12	227



HITCH PIN WITH HAIR PIN

CODE	A	B	C	D
SO-PWLP12090	12.7	90	4	125
SHPWRP12105	12.7	105	3	142
SHPWRP12110	12.7	110	4	147
SHPWRP16105	15.9	105	4	136
SHPWRP16149	15.9	149	3.5	186
SHPWRP16162	16	162	4	199
SHPWRP19098	19	98	4.5	130
SHPWRP19110	19	110	4.5	147
SHPWRP19157	19	157	4.5	194
SHPWRP19162	19	162	4.5	199
SHPWRP22110	22	110	5	147
SHPWRP22157	22	157	5	194
SHPWRP22162	22	162	5	199
SHPWRP25103	25	103	5	140
SHPWRP25110	25.4	110	5.5	147
SHPWRP25158	25	158	6	194
SHPWRP25162	25	162	6	199
SHPWRP25181	25	181	6	214
SHPWRP25118	25	118	6	155
SHPWRP28183	28	183	6	220
SHPWRP28162	28.6	162	6.5	199
SHPWRP32162	32	162	7	199




RED HANDLE HITCH PIN

CODE	A	B
SRHHP12095	12.7	95
SRHHP16105	15.8	105
SRHHP16143	15.8	143
SRHHP19105	19	105
SRHHP19165	19	165
SRHHP22105	22	105
SRHHP22165	22.4	165
SRHHP25118	25.4	115
SRHHP25133	25.4	133
SRHHP25203	25.4	203
SRHHP28220	28.5	220
SRHHP32220	31.75	220
SRHHP38220	38.1	220




HITCH PIN

CODE	A	B	C	D
SHP12089	12.7	89	4	127
SHP12102	12.7	102	4	136
SHP12108	12.7	108	5	144
SHP12114	12.7	114	5	150
SHP16089	15.9	89	5	127
SHP16102	15.9	102	5	136
SHP16108	15.9	108	5	144
SHP16114	15.9	114	5	150
SHP16127	15.9	127	6	165
SHP16152	19	152	6	192
SHP19102	19	102	8	136
SHP19108	19	108	8	144
SHP19114	19	114	8	150
SHP19127	19	127	8	165
SHP19140	19	140	8	178
SHP19152	19	152	8	190
SHP19158	22	158	8	196
SHP22108	22	108	10	144
SHP22114	22	114	10	150
SHP22127	22	127	10	165
SHP22152	22	152	10	190
SHP22158	22	158	10	198
SHP22165	22	165	10	204
SHP25108	25.4	108	10	144
SHP25114	25.4	114	10	150
SHP25152	25.4	152	10	190
SHP25158	25.4	158	10	204
SHP25165	25.4	165	10	228
SHP25190	25.4	190	10	150
SHP28114	28	114	12	228
SHP28152	28	152	12	227
SHP28158	28	158	12	227
SHP28165	28	165	12	227
SHP28190	28	190	12	227
SHP32152	32	152	12	227
SHP32158	32	158	12	227
SHP32165	32	165	12	227
SHP32190	32	190	12	227
SHP35190	35	190	12	227
SHP38190	38	190	12	227



ORANGE HITCH PIN WITH HAIR PIN


CODE	A	B	C	D
SOHP16155	16	155	4	192
SOHP19104	19	104	5	141
SOHP19162	19	162	5	199
SOHP22168	22	168	5	205
SOHP25175	25.4	175	6	212






SQUARE HEAD PINS

CODE	A	B	C	D	E	F	G
SSHP19088	19	88	109	40	65	8	6
SSHP24088	24	88	109	40	65	8	6




CYLINDER PINS

CODE	A	B	C	D	E
SCLP18052	18	52	70	6	6
SCLP18072	18	72	90	6	6
SCLP18082	18	82	100	6	6
SCLP20058	20	58	76	6	6
SCLP22052	22	52	70	6	6
SCLP24091	24	91	109	6	6
SCLP26057	26	57	76	6	6
SCLP28091	28	51	109	6	6




TOP LINK PIN WITHOUT HEAD

CODE	A	B	C	D	E
STLPOH19140	19	96	140	12	22
STLPOH19170	19	126	170	12	22
STLPOH19207	19	163	207	12	22
STLPOH19254	19	210	254	12	22
STLPOH25164	25	120	164	12	22




SPECIAL TOP LINK PINS

CODE	A	B	C	D	E	F
STLP12057S	12	57	70	18	4	5
STLP16081S	16	81	98	24	4.5	6.5
STLP16059S	16	59	76	24	7	6.5
STLP19060S	19	60	82	27	7	6.5
STLP19093S	19	93	112	27	6	6.5
STLP22120S	22	120	151	37	15	8.5
STLP22135S	22	135	170	37	15	8.5
STLP25120S	25	120	158	40	15	8.5
STLP25175S	25	175	214	40	15	8.5
STLP28155S	28	155	193	45	15	10.5
STLP19080S	19	80	120	25	15	11.5
STLP22060S	22	60	95	28	15	11.5
STLP25085S	25	85	125	32	15	11.5
STLP28060S	28	60	95	34	15	11.5




TOP LINK PIN

CODE	A	B	C	D	E
STLP16076	15.9	76	113	19	7
STLP16082	15.9	82	112	19	7
STLP19052	19	52	90	22	12
STLP19057	19	57	90	22	12
STLP19076	19	76	112	22	12
STLP19092	19	92	127	22	12
STLP19095	19	95	133	28	12
STLP19105	19	105	135	28	10
STLP19125	19	125	155	28	10
STLP19145	19	145	175	28	10
STLP22076	22	76	114	25	12
STLP22094	22	94	132	25.4	12
STLP22105	22	105	136	34	12
STLP22110	22	110	140	25	12
STLP22125	22	125	158	30	11
STLP22145	22	145	178	30	11
STLP25076	25	76	115	28	12
STLP25085	25	85	124	32	11
STLP25095	25	95	132	28	12
STLP25125	25	125	156	32	11
STLP25086	25.4	86	123	28	12
STLP25110	25.4	110	148	28	12
STLP25116	25.4	116	154	28	12
STLP25142	25.4	142	180	28	12
STLP28103	28	103	145	32	12
STLP28125	28	125	156	34	12
STLP28145	28	145	178	34	12
STLP28159	28.6	159	197	32	12
STLP31118	31.7	118	160	38	12
STLP32105	32	105	145	42	12
STLP32125	32	125	164	38	12
STLP32136	32	136	175	38	12




INTER CHANGEABLE IMPLEMENT MOUNTING PIN

CODE	A	B	C	D	E	F	G	H	I	J
SICIMP20200	22	22	28	55	115	40	67	12	6.5	200
SICIMP25200	25	22	28	55	115	40	67	12	6.5	200




DOUBLE IMPLEMENT MOUNTING PIN

CODE	A	B	C	D	E	F	G	H	I	J
SDMP25210	25	19	40	70	100	80	20	12	12	210
SDMP25212	25	19	38	96	78	62	22	12	12	212
SDMP25170	25	19	26	66	78	70	18	6.5	6.5	170
SDMP28200	28	22	35	75	90	75	20	12	12	200
SDMP28210	28	22	40	70	100	80	20	12	12	210
SDMP25230	28	22	40	90	100	80	20	12	12	230
SDMP28229	28.6	22.2	40	89	100	80	20	12	12	229
SDMP32250	32	25	40	115	95	81	26	12	12	250
SDMP36277	36.5	28	36	150	91	81	26	12	12	277
SDMP36290	36.5	28	45	150	95	80	28	12	12	290



IMPLEMENT PIN

CODE	A	B	C	D	E	F	G	H
SIP19156	19	16	74	82	156	16.5	55	5
SIP22168	22	16	80	88	168	12	68	5
SIP25166	25	19	85	81	166	18	53	5
SIP25160	25	19	80	80	160	18	53	5
SIP25180	25	19	90	90	180	18	57	5
SIP28180	28	22	90	90	180	18	57	5
SIP28175	28	22	90	85	175	16.5	50	6
SIP28180	28	22	90	90	180	16.5	61	6
SIP32178	32	25	83	95	178	18	62	6.5
SIP32172	32	25	80	92	172	22	55	6.5



WELD ON END MOUNTING PIN


CODE	A	B	C	D	E	F	G
SWOMP0	28	22	62.5	84.5	70.5	47	12
SWOMP1	28	22	76.5	104.5	88	60	12
SWOMP2	28	22	85	105	85	62	12
SWOMP3	28	22	103	78	60	87.3	12
SWOMP4	28	22	120	56	39	92	12
SWOMP5	28.6	22	76	105	97.3	60	12
SWOMP6	34	28	61	80	62	43.5	12





LOWER LINK PIN

CODE	A	B	C	D	E	F	G	H	I
SLLP2201M	22	50	130	40	5	20x1.5	20	32	38
SLLP2202M	22	50	140	40	14	22x1.5	22	30	38
SLLP2203M	22	50	140	40	14	22x1.5	28	30	38
SLLP2204U	22	51	149	54	11	7/8" UNF	22	30	36
SLLP2205U	22	51	140	48	6	3/4" UNF	19	30	36
SLLP2206U	22	51	140	43	11	5/8" UNF	22	30	36
SLLP2207U	22	51	146	38	22	7/8" UNF	28.6	30	36
SLLP2208U	22	51	146	50.8	9.5	7/8" UNC	28.6	32	38
SLLP2209U	22	51	146	50.8	9.5	1" UNF	25.4	30	36
SLLP2210U	22	51	138	38	14	7/8" UNF	28.6	30	36
SLLP2211M	22	51	138	38	10	20x1.5	20	30	36
SLLP2212M	22	51	128	38	10	20x1.5	20	30	36
SLLP2213M	22	60	150	40	20	22x1.5	22	32	38
SLLP2214M	22	60	150	40	20	22x1.5	28	32	38
SLLP2215M	22	60	146	40	20	22x1.5	25	32	32
SLLP2216U	22	51	140	45	10	7/8" UNF	22	30	34
SLLP2217U	22	64	165	56	16	7/8" UNF	22.5	32	38
SLLP2518M	25	60	150	40	20	22x1.5	25	34	40
SLLP2519M	25	60	150	40	20	22x1.5	28	32	38
SLLP2820M	28	50	155	30	50	30x2.0	30	48	50
SLLP2821M	28	55	150	45	14	22x1.5	24	36	42
SLLP2822M	28	55	150	45	15	24x1.5	24	37	43
SLLP2823M	28	55	150	45	14	27x1.5	28	38	43




LOWER LINK PIN

CODE	A	B	C	D	E	F	G	H	I
SLLP2824M	28	58	147	48	10	27x1.5	27	37	43
SLLP2825M	28	58	147	48	10	27x1.5	27	48	50
SLLP2826M	28	60	150	45	14	22x1.5	22	38	44
SLLP2827M	28	60	150	40	20	22x1.5	28	38	44
SLLP2828M	28	60	150	40	20	22x1.5	22	38	44
SLLP2829M	28	60	150	40	20	22x1.5	24	38	44
SLLP2830M	28	62	147	38	20	22x1.5	28	48	50
SLLP2831M	28	64	160	38	25	27x1.5	28	38	44
SLLP2832M	28	65	160	30	40	30x2	30	48	50
SLLP2833M	28	71	160	40	30	30x2	30	48	50
SLLP2834U	28.6	51	133.5	42	11	7/8" UNF	22	37	43
SLLP2835U	28	51	159	60	16	9/8" UNF	28.6	38	44
SLLP2836U	28.6	51	149	36.5	24	3/4" UNF	25.4	38	44
SLLP2837U	28.6	57	159	60	16	9/8" UNF	28.6	37	43
SLLP2838U	28.6	60	149	51	9.5	9/8" UNF	28.6	37	43
SLLP2839U	28.6	60	149	50.8	9.5	1" UNF	25.4	38	44
SLLP2840U	28.6	60	149	54	6.3	3/4" UNF	19	38	44
SLLP2841U	28.6	60	149	38	22	7/8" UNF	28.6	38	44
SLLP2842U	28.6	60	136.5	35	12.7	7/8" UNF	202	38	44
SLLP2843U	28.6	60	145	44	12.7	7/8" UNF	22	38	44
SLLP2844U	28.6	63.15	160	54	14	7/8" UNF	22.2	38	44
SLLP3645U	36	54	149	48	16	9/8" UNF	28.6	46	52
SLLP3646U	36.5	58	149	45	14	1.3/8" UNF	35	45	52
SLLP3647M	36.5	61	165	60	11	27x1.5	27	48	50





BENT HANDLE HITCH PIN

CODE	A	B	C
SBHHP19123	19	123	12
SBHHP19135	19	135	12
SBHHP19175	19	175	12
SBHHP22123	22	123	12
SBHHP22135	22	135	12
SBHHP22175	22	175	12
SBHHP25123	25	123	12
SBHHP25135	25	135	12
SBHHP25175	25	175	12
SBHHP28135	28	135	12
SBHHP28175	28	175	12
SBHHP28123	28	123	12
SBHHP32175	32	175	12




BENT TYPE HITCH PIN

CODE	A	B	C	D
SBHP12076	12.7	76	4	85
SBHP16076	15.9	76	5	88
SBHP16089	15.9	89	5	102
SBHP19089	19	89	5	102
SBHP19099	19	99	5	111




WIRE LOCK HITCH PIN

CODE	A	B	C
SWLHP12102	12	102	140
SWLHP16102	16	102	140
SWLHP19102	19	102	140
SWLHP19152	19	152	190
SWLHP22152	22	152	190
SWLHP25152	25	152	190




STANDARD CLEVIS PINS

CODE	A	B	C	D
SSCP4516	4.5	16	2.5	9
SSCP6020	6	20	2.5	10
SSCP6025	6	25	2.5	10
SSCP8019	8	19	3	12
SSCP8024	8	24	3	12
SSCP8028	8	28	3	12
SSCP8032	8	32	3	12
SSCP8038	8	38	3	12
SSCP8045	8	45	3	12
SSCP1025	10	25	4	12
SSCP1032	10	32	4	14
SSCP1045	10	45	4	14
SSCP1132	11	32	4	15
SSCP1145	11	45	4	15
SSCP1238	12	38	4	16
SSCP1250	12	50	4	16




UNIVERSAL CLEVIS PINS

CODE	A	B	C	D	No. of Holes
SUCP6050	6	50	2.5	9	5
SUCP8050	8	50	3	12	5
SUCP1050	10	50	4	14	5
SUCP1150	11	50	4	15	5
SUCP1163	11	63	4	15	5
SUCP1176	11	76	4	15	7
SUCP1250	12	50	4	16	5
SUCP1263	12	63	4	16	7
SUCP1276	12	76	4	16	7
SUCP1676	16	76	5	20	7
SUCP1976	19	76	6	24	7




LINCH PINS

CODE	A	B	C	D	E
SLP45035	4.5	28.6	35	44	3
SLP45041	4.5	33	41	51	3
SLP47035	4.76	28.6	35	44	3
SLP60045	6	36.5	45	54	3.2
SLP60045HD	6	36.5	45	54	3.7 Black
SLP63045	6.35	36.5	45	54	3.2
SLP70045	7	36.5	45	55	3.3
SLP80045	8	36.5	45	54	3.3
SLP80045HD	8	36.5	45	54	3.7 Black
SLP90045	9	36.5	45	56	3.3
SLP95051	9.5	39	51	62	3.3
SLP10045	10	36.5	45	56	3.5
SLP11045	11	36.5	45	56	3.5
SLP11051HD	11	39	51	66	4.5 Black
SLP11051	11	39	51	62	3.5




FORGRD LINCH PINS

CODE	A	B	C	D	E
SFLP22	11	48	52	4	66
SFLP15	15	56	60	4	74




LINCH PINS FOR TUBE(SQUARE HEAD)

CODE	A	B	C	D
SLPFT0640	6	40	3	18
SLPFT0645	6	45	3	22
SLPFT0840	8	40	3	18
SLPFT0845	8	45	3	22
SLPFT0850	8	50	3	25
SLPFT1050	10	50	4	25
SLPFT1058	10	58	4	25
SLPFT1258	12	58	4	25




PTO PINS ROUND

CODE	A	B	C	D	E	F
SPPR0638	6	45	38	12	6	2.5
SPPR0658	6	65	58	12	6	2.5
SPPR0838	8	45	38	15	7	2.5
SPPR0858	8	65	58	15	7	2.5
SPPR1038	10	45	38	18	8	2.5
SPPR1058	10	65	58	18	8	2.5




PTO PINS SQUARE

CODE	A	B	C	D	E	F
SPPS0645	6	53	45	12	6	2.5
SPPS0647	6	65	57	12	6	2.5
SPPS0857	8	65	57	15	7	2.5
SPPS0863	8	70	63	15	7	2.5
SPPS1057	10	65	57	18	8	2.5
SPPS1063	10	70	63	18	8	2.5
SPPS1070	10	80	70	18	10	2.5




CLIPS

CODE	A	B	C
SDSC315	3x1.5	38	17
SDSC325	2x2.5	56	27




HAIR PIN / GRIP CLIP, SINGLE SPIRE

CODE	A	B	C	D
SRPS20044	2	44	13	10-12
SRPS20051	2	51	13	10-12
SRPS20057	2	57	17	10-12
SRPS25046	2.5	46	13	11-13
SRPS25062	2.5	62	13	11-13
SRPS30052	3	52	18	12-16
SRPS30061	3	61	18	12-16
SRPS35067	3.5	67	18	15-21
SRPS35080	3.5	80	18	15-21
SRPS40076	4	76	18	16-30
SRPS40083	4	83	18	16-30
SRPS40090	4	90	18	16-30
SRPS45083	4.5	83	20	16-30
SRPS45093	4.5	93	20	20-30
SRPS50100	5	100	24	20-35
SRPS50108	5	108	30	20-35
SRPS60114	6	114	24	28-45
SRPS60115	6	120	30	28-45
SRPS60120	6	115	42	28-45
SRPS70105	7	105	42	30-42
SRPS70163	7	163	45	30-45
SRPS80156	8	156	52	30-45
SRPS80162	8	162	45	45-60
SRPS10158	10	158	42	30-45




HAIR PIN / GRIP CLIP, DOUBLE SPIRE

CODE	A	B	C	D
SRPD02065	2	65	13	10-12
SRPD03071	3	71	18	12-16
SRPD04077	4	77	22	16-30
SRPD04093	4	93	22	17-24
SRPD05116	5	116	26	17-28
SRPD06143	6	143	30	32-48
SRPD07162	7	162	30	30-45



SPLIT PINS


CODE	A	B	C
SCP1620	1.6	20	28
SCP1625	1.6	25	33
SCP2020	2	20	28
SCP2025	2	25	33
SCP2028	2	28	35
SCP2032	2	32	40
SCP2040	2	40	50
SCP2520	2.5	20	28
SCP2540	2.5	40	50
SCP3225	3.2	25	35
SCP3240	3.2	40	50
SCP4025	4	25	35
SCP4032	4	32	45
SCP4036	4	36	48
SCP5050	5	50	63
SCP5070	5	70	85
SCP6350	6.3	50	64
SCP6370	6.3	70	85
SCP6380	6.3	80	98
SCP8063	8	63	87
SCP8080	8	80	104
SCP80100	8	100	124
SCP80125	8	125	150
SCP1063	10	63	91
SCP10125	10	125	153
SCP13125	15	125	160
SCP13140	13	140	175








STABILIZER ASSEMBLY

CODE	A		B	C	D	E
	MIN	MAX				
SSA275	275	325	130	20x2.5	38	14
SSA280	280	345	150	22x2.5	38	14
SSA300	300	365	150	24x2.5	55	25




STABILIZER CHAIN ASSEMBLY

CODE	STYLE	L	D	d1	d	d2
		MAX				
SCA1420	1	420	16x2	18	12	12
SCA1500	1	500	16x2	18	12	12
SCA1580	1	580	16x2	18	12	12
SCA2480	2	480	16x2	18	10	14
SCA2570	2	570	20x2.5	20	12	14
SCA2635	2	635	16x2	20	12	14
SCA2670	2	670	20x2.5	20	12	14
SCA2580	2	580	20x2.5	20	12	14
SCA2460	2	460	20x2.5	20	12	14
SCA3570	3	570	20x2.5	20	12	14
SCA3600	3	600	20x2.5	20	12	14




ALL TYPE STABILZER CHAIN ASSEMBLY

CODE	STYLE
SOHI-01	1
SOHI-02	2
SOHI-03	3
SOHI-04	4
SOHI-05	5
SOHI-06	6
SOHI-07	7
SOHI-08	8
SOHI-09	9
SOHI-10	10
SOHI-11	11




STABILIZER ENDS

CODE	L	d	d1	D
SSE01	97	16x2	46	18
SSE02	115	20x2.5	46	18
SSE03	115	22x2.5	50	20




STABILIZER ENDS

CODE	L	d	d1	D
SSE04	112	18x2.5	39	14.5
SSE05	127	20x2.5	39	14.5
SSE06	134	22x2.5	45	2.5




EYE ENDS

CODE	D	L	Ød	D1	L1
SEE16	16x1.5	80	15	36	43
SEE18	18x2.5	80	15	36	43
SEE20	20x2.5	100	18	45	56
SEE24	24x2	125	24	53	65




EYE ENDS

CODE	A	B	C	D	E
SEE101	1/4"	1-1/2"	2"	3"	1/2"
SEE102	1/4"	1-1/2"	2-1/4"	3-1/2"	5/8"
SEE103	5/16"	1-1/2"	2-1/2"	4"	3/4"
SEE104	3/8"	1-1/2"	3-1/4"	5-1/4"	1"
SEE105	1/2"	1-3/4"	4"	6-1/2"	1-1/4"
SEE106	6/8"	2-1/2"	4"	5"	1/2"
SEE107	5/16"	2-1/2"	4-1/4"	5-1/2"	5/8"
SEE108	3/8"	2-1/2"	6"	7-1/2"	3/4"
SEE109	1/2"	3"	6"	7-3/4"	1"



TURN BUCKLE

CODE	THREAD	PIPE LENGTH
SEE101	M16 x 2	M16 x 2



CLEVIS YOKE



DRAW BAR (63x30)

CODE	H	G	HOLES	A	B	C	D	E	F
SDB08	63	30	7	1003	60	181	80	28.5	25.4
SDB09	63	30	7	683	49	181	80	28.5	25.4
SDB10	63	30	9	758	49	181	80	28.5	25.4
SDB11	63	30	9	781	60	181	80	28.5	25.4
SDB12	63	30	7	962	60	181	80	28.5	25.4
SDB13	63	30	9	796	57.5	181	80	28.5	25.4
SDB14	63	30	9	800	70	181	80	28.5	25.4
SDB15	63	30	11	766	60	181	80	28.5	25.4
SDB16	63	30	11	945	60	181	80	28.5	25.4
SDB17	63	30	9	800	58	181	80	28.5	25.4
SDB18	63	30	9	800	126	181	80	28.5	25.4
SDB19	63	30	11	765	52	181	80	28.5	25.4
SDB20	63	30	11	781	60	181	80	28.5	25.4
SDB21	63	30	9	770	55	181	80	28.5	25.4
SDB22	63	30	9	770	55	181	80	28.5	25.4
SDB23	63	30	3	440	55	181	80	28.5	25.4
SDB24	63	30	11	766	53	181	80	28.5	25.4
SDB25	63	30	11	780	60	181	80	28.5	25.4
SDB26	63	30	3	440	57	181	80	28.5	25.4
SDB27	63	30	9	800	70	181	80	28.5	25.4
SDB28	63	30	11	810	60	181	80	28.5	25.4
SDB29	63	30	9	620	50	181	80	28.5	25.4

DRAW BAR (63x25)

CODE	H	G	HOLES	A	B	C	D	E	F
SDB00	63	25	7	505	51	66.5	45	22	20
SDB01	63	25	7	770	50	105	76.66	22	22
SDB02	63	25	7	610	51	84.5	57	22	19
SDB03	63	25	7	610	51	84.5	57	22	22
SDB04	63	25	11	775	57	75	51	22	19
SDB05	63	25	11	775	57	75	51	22	22
SDB06	63	25	9	775	57	114	54	22	19
SDB07	63	25	11	766	53	60	54	22	20


DRAW BAR (80x40)

CODE	H	G	HOLES	A	B	C	D	E	F
SDB30	80	40	7	930	55	110	100	28	28
SDB31	80	40	3	770	56	165	166	28	26.5
SDB32	80	40	7	861	60.3	122	83	28	26.5
SDB33	80	40	7	1085	60	151	110	36	32
SDB34	80	40	7	940	60	121	83	28.4	26





CODE	H	G	HOLES	A	B	C	D	E	F
CODE	H	G	HOLES	A	B	C	D	E	F
SDB36	70	30	3	772	54.8	163	165.2	27.8	26
SDB37	70	30	3	674	55	139.5	140	28	22.7
SDB38	70	30	3	900	55	197.5	197.5	28.4	28.5
SDB39	70	30	3	960	55	212.5	212.5	28.4	28.5
SDB40	70	30	11	960	55	155	155	28	26




DRAW BAR (70x30)

CODE	H	G	HOLES	A	B	C	D	E	F
SDB41	76	32	11	780	60	75	51	28	19
SDB42	76	32	11	780	60	75	51	28	22
SDB43	76	32	13	940	60	76	55.5	28	19
SDB44	76	32	13	940	60	76	55.5	28	22
SDB45	76	32	7	880	50	100	96	28	28
SDB46	76	32	9	920	50	90	80	28	33
SDB47	76	32	7	930	55	85	108.5	28	26
SDB48	76	32	9	945	60	92.5	80	28	33
SDB49	76	32	11	933	55	157.	50.8	28	22
SDB50	76	32	7	960	59	103.5	71.5	28	26.5
SDB51	76	32	7	861	60.5	123.5	82.2	28.4	27
SDB52	76	32	13	933	60	76.4	55	28.6	19
SDB53	76	32	7	890	55	124	88.6	28	28
SDB54	76	32	3	772	55.5	165	166	22.6	26.5
SDB55	76	32	7	940	60	148	86	28.4	28.5
SDB56	76	32	7	910	50	85	110	28	26
SDB57	76	32	9	930	60	86	80	28	28
SDB58	76	32	9	945	60	92.5	80	28	33
SDB59	76	32	11	960	62	143	55	28	28
SDB60	76	32	7	981	60	151	86	28.4	28.5




REPLACEMENT BUSHES



CODE	ØA mm	ØB mm	ØC mm
SRB191641	19	16	41
SRB221635	22	16	35
SRB251941	25.4	19	41
SRB251951	25.4	19	50.8
SRB282245	28.4	22.2	44.5
SRB282263	28.4	22.2	63
SRB282235	28.4	22.2	35
SRB282244	28.4	22.2	44
SRB282251	28.4	22.2	50.8
SRB322551	32	25.4	50.8
SRB362845	36.5	28.6	44.5


TINE BUSHES

CODE	Outer ØA mm	Outer ØB mm	Outer ØC mm	Outer ØD mm	Outer ØE mm	Outer ØF mm	Weight kg.
SRB191641	38	25.4	31	95	74	4°30	0.3
SRB221635	40	23	25	105	78	5°	0.45
SRB251941	41	24	32	110	79	5°	0.51
SRB251951	41	24	32	110	79	5°	0.6
SRB282245	41	25.4	30	108	80	5°30	0.5
SRB282263	45	25	0	110	0	5°	0.765
SRB282235	50	23	29	110	85	6°	1.8
SRB282244	50	25	29	110	85	6°	1.08
SRB282251	50	28	0	105	0	10°	1.05
SRB322551	50	30	36	108	80	5°30	0.76
SRB362845	50	30	39	110	84	6°	1.63
SRB191641	51	25	32	110	109	5°30	1.085
SRB221635	51	30	38	110	86	5°	0.755
SRB251941	55	32	0	120	0	4°30	1.24
SRB251951	57	12.59	40	120	105	5°30	0
SRB282245	33	0	14	63	46	3°	0.292
SRB282263	33	0	16.5	63	48	1.5°	0.281
SRB282235	33	0	16.5	63	48	1.5°	0.263
SRB282244	33	0	16.5	63	48	1.5°	0.281
SRB282251	33	0	16.5	63	48	1.5°	0.256
SRB322551	45	22	28	97	75	5°	1.27
SRB362845	50	32	39	110	84	5.5°	1.02
SRB362845	60	32	39	110	84	5.5°	1.8




HITCH BALL

CODE	Max. Load	ØA Inch	Thread ØB Inch	Length C Inch
SHB54-01	2000	1-7/8	3/4	1-3/4
SHB54-02	3500	2	3/4	1-3/4
SHB54-03	5000	2	1	2-1/8
SHB54-04	7500	2-5/16	1-1/4	2-1/8




HITCH BALL

CODE	ØA	B	C
SHB54-08	19	70	57
SHB54-09	22	70	57
SHB54-10	25.4	70	57



HITCH BALL

CODE	Dim.A mm	Dim.B mm	Dim.C mm	ØD mm	Dim.E mm	Dim.E mm
SHB54-06	162	100	90	50	190	7/8"
SHB54-07	162	100	90	50	190	1"



Stainless Steel Bumper Protector

Rear bumper protector
Suitable to be attached behind towball on vehicle



HITCH PIN WITH ROPE & CLIP

Replacement tow pin for standard dual tow jaw



LONG SERIES TOWBALL

Long series threaded towball
Ball head: 50mm
Supplied complete with safety chain pin and locking nuts
Not recommended for heavy vehicles

ITEM NO. DESCRIPTION

SOHI22190 HITCH PIN BALL 7/8in x 7in (22 x 178mm)
SOHI25190 HITCH PIN BALL 1in x 7in (25 x 178mm)
SOHI28190 HITCH PIN BALL LONG
SOHI32190 HITCH PIN BALL LONG



Blue Double Duty Hitch 1.5 Ton (1500 Kg)

Dual tow jaw, fixed ball with pin through ball
Variant: 2 bolt
Ball head: 50mm
Complete with 22mm pin
Use grade 8.8 or higher M16 bolts and nuts with lock washer
Tighten to 240Nm
Must only be used with supplied pin in place
Off road use only
Not recommended for towing heavy vehicles



Blue Double Duty Independent Hitch 1.5 Ton (1500 Kg)

Dual tow jaw, fixed ball with loose pin
Variant: 2 bolt
Ball head: 50mm
Complete with 22mm pin
Use grade 8.8 or higher M16 bolts and nuts with lock washer
Tighten to 240Nm
Off road use only
Not recommended for towing heavy vehicles




BALL WITH CUT

CODE	A	B	C	D	E
SBWC22	56.5	22	35	10	R35
SBWC28	56.5	28.6	44.5	10	R35




GUIDE CONE BALL

CODE	A	B	C	D
SGCB5628	56	28.4	68	20
SGCB5637	56	37.6	68	20
SGCB6428	64	28.4	72	20
SGCB6432	64	32.5	72	20
SGCB6437	64	37	72	20




SAPCERS

CODE	A	B	C
SS2856	28	56	7
SS2864	28	64	7
SS3864	38	64	7




TOP LINK BALLS




CODE	A	B	C
STLB321625	32	16	25.4
STLB381525	38	15.9	25.4
STLB381941	38	19	41
STLB381944	38	19	44
STLB382044	38	20	44
STLB461944	46	19	44
STLB462044	46	20	44
STLB462541	46	25.4	41
STLB462544	46	25.4	44
STLB462545	46	25.4	45
STLB462551	46	25.4	51
STLB502251	50	22.1	51
STLB502544	50	25.4	44
STLB502551	50	28.4	51
STLB511944	50.8	19	44
STLB512544	50.8	25.4	44.5
STLB512844	50.8	28.4	44.5
STLB542551	54	25.4	51
STLB543055	54	30	55
STLB543251	54	32	51
STLB543555	54	35	55
STLB602551	60	25.4	51
STLB603151	60	31.7	51
STLB602530	60	25.4	50
STLB603250	60	32.5	50

BALL(DOUBLE BORE)

CODE	A	B	C
SBDB2228	56	22.1/28.7	44.5




LOWER LINK BALLS



CODE	A	B	C
SLLB441935	44.5	19	35
SLLB442235	44	22.1	35
SLLB452235	44.5	22.1	35
SLLB462833	46	28.4	33.5
SLLB482235	48	22.1	35
SLLB482535	48	25.4	35
SLLB502540	50	25.4	40
SLLB502940	50	29	40
SLLB503825	50.8	38	25
SLLB543555	54	35	55
SLLB562235	56	22.1	35
SLLB562245	56	22.1	45
SLLB562535	56	25.4	35
SLLB562835	56	28.4	35
SLLB562838	56	28.4	38
SLLB562845	56	28.4	45
SLLB562945	56	28.6	45
SLLB572945	56.5	28.6	45
SLLB572845	56.8	28.4	44.8
SLLB572235	57	22.1	35
SLLB572535	57	25.4	35
SLLB572538	57	25.4	38
SLLB572835	57	28.4	35
SLLB572838	57	28.4	38
SLLB572842	57	28.4	42
SLLB572844	57	28.4	44.5
SLLB602551	60	25.4	51
SLLB622845	62.5	28.6	45
SLLB623745	62.5	37	45
SLLB633745	63.5	37	45
SLLB642245	64	22	45
SLLB642845	64	28.4	45
SLLB643845	64	38	45
SLLB643045	64	30.5	45
SLLB643245	64	32.5	45
SLLB643545	64	35.5	45
SLLB643745	64	37.5	45


WELD ON END

CODE	A	B	C	D	E
SWOEL01	16.2	20	30	46	60
SWOEL02	19.2	44	50	52	50
SWOEL03	20.2	44	50	52	50
SWOEL04	19.2	35	50	65	43
SWOEL05	22.1	35	50	65	43
SWOEL06	22.1	35	70	76	50
SWOEL07	25.4	35	70	76	50
SWOEL08	28.2	35	70	76	50
SWOEL09	22.1	35	70	83	55
SWOEL10	25.4	35	70	83	55
SWOEL11	28.2	35	70	83	55
SWOEL12	28.2	45	70	83	55
SWOEL13	25.4	35	70	80	80
SWOEL14	28.2	35	70	80	80
SWOEL15	28.2	45	70	80	80
SWOEL16	22.1	45	70	80	65
SWOEL17	25.4	45	70	80	65
SWOEL18	28.4	45	70	80	65
SWOEL19	30.2	45	70	80	65
SWOEL20	28.2	45	70	96	65
SWOEL21	34.4	45	70	96	65
SWOEL22	35.2	45	70	96	65
SWOEL23	37.4	45	70	96	65
SWOEL24	19.2	35	56	67	50
SWOEL25	22.1	35	56	67	50
SWOEL26	25.4	35	56	67	50
SWOEL27	22.1	35	58	67	75
SWOEL28	25.1	45	70	80	80
SWOEL29	28.2	45	90	106	90
SWOEL30	30.2	45	90	106	90
SWOEL31	34.4	45	90	106	90
SWOEL32	35.2	45	90	106	90
SWOEL33	37.4	45	90	106	90
SWOEL34	38.4	45	90	106	90
SWOEL35	28.4	45	70	80	110




WELD ON END

CODE	AB	B	C	D	E
SWOET01	19.2	44	25	53	48
SWOET02	20.2	44	25	53	48
SWOET03	19.2	44	25	53	48
SWOET04	19.2	44	26	55	65
SWOET05	19.2	44	30	62	34
SWOET06	20.2	44	30	62	34
SWOET07	22.1	44	30	62	34
SWOET08	19.2	44	34	62	60
SWOET09	22.1	44	34	62	60
SWOET10	20.2	44	34	62	60
SWOET11	19.2	44	30	62	50
SWOET12	20.2	44	30	62	50
SWOET13	22.1	44	34	62	58
SWOET14	19.2	44	34	62	58
SWOET15	19.2	35	26	62	55
SWOET16	22.1	35	26	62	55
SWOET17	19.2	51	38	75	65
SWOET18	25.2	51	38 ⁷⁵ 65		
SWOET19	30.2	51	38	75	65
SWOET20	19.2	51	45	72	70
SWOET21	22.1	51	45	72	70
SWOET22	25.4	51	45	72	70
SWOET23	30.2	51	45	72	70
SWOET24	25.4	51	38	90	85
SWOET25	30.2	51	38	90	85
SWOET26	19.2	51	50	85	50
SWOET27	25.4	51	50	85	70
SWOET28	25.4	51	50	83	70
SWOET29	30.2	42	50	83	65
SWOET30	30.2	55	50	83	65
SWOET31	35.2	35	50	83	65
SWOET32	35.2	55	50	83	65
SWOET33	30.2	55	50	92	65
SWOET34	30.2	44	50	92	65
SWOET35	35.2	35	50	92	65



TOP LINK END(MM)

CODE	CAT	I D	THREAD	L1	D1	D2	H
STLE27R10	2	25.4	M27 x 3R	190	56	66	51
STLE27L10	2	25.4	M27 x 3L	190	56	66	51
STLE27R11	2	25.4	M27 x 3R	190	56	66	42
STLE27L11	2	25.4	M27 x 3L	190	56	66	42
STLE30R12	2	25.4	M30 x 3.5R	75	56	75	51
STLE30L12	2	25.4	M30 x 3.5L	75	56	75	51




TOP LINK END(MM)

CODE	CAT	I D	THREAD	L1	D1	D2	H
STLE30L14	1	19	M30 x 3.5L	120	60	62	44
STLE30R14	1	19	M30 x 3.5R	120	60	62	44
STLE30L15	2	25.4	M30 x 3.5L	120	56	75	51
STLE30R15	2	25.4	M30 x 3.5R	120	56	75	51
STLE30L16	1	19	M30 x 3.5L	170	60	62	44
STLE30R16	1	19	M30 x 3.5R	170	60	62	44
STLE30L17	2	25.4	M30 x 3.5L	180	56	75	51
STLE30R17	2	25.4	M30 x 3.5R	180	56	75	51
STLE30L18	1	19	M30 x 3L	170	60	62	44
STLE30R18	1	19	M30 x 3R	170	60	62	44
STLE30L19	2	25.4	M30 x 3L	180	56	75	51
STLE30R19	2	25.4	M30 x 3R	180	56	75	51

TOP LINK END(UNC)

CODE	CAT	I D	THREAD	L1	D1	D2	H
STLER00	0	16	3/4 UNCR	105	47	30	25.4
STLEL00	0	16	3/4 UNCL	105	47	30	25.4
STLER11	1	19	1.1/8 UNCR	155	58	53	44
STLEL11	1	19	1.1/8 UNCL	155	58	53	44
STLER20	2	25.4	1.1/8 UNCR	190	66	58	51
STLEL20	2	25.4	1.1/8 UNCL	190	66	58	51
STLER22	2	25.4	1.1/8 UNCR	180	76	66	51
STLEL22	2	25.4	1.1/8 UNCL	180	76	66	51



TOP LINK END(UNC)


CODE	CAT	I D	THREAD	L1	D1	D2	H
STLE22R01	1	19	M22 x 2.5R	95	50	58	44
STLE22L01	1	19	M22 x 2.5L	95	50	58	44
STLE22R02	1	19	M22 x 2.5R	120	50	58	44
STLE22L02	1	19	M22 x 2.5L	120	50	58	44
STLE24R03	1	19	M24 x 3R	60	50	58	44
STLE24L03	1	19	M24 x 3L	60	50	58	44
STLE24R04	1	19	M24 x 3R	85	50	58	44
STLE24L04	1	19	M24 x 3L	85	50	58	44
STLE24R05	1	19	M24 x 3R	120	50	58	44
STLE24L05	1	19	M24 x 3L	120	50	58	44
STLE24R06	1	19	M24 x 2.5R	120	50	58	44
STLE24L06	1	19	M24 x 2.5L	120	50	58	44
STLE27R07	1	19	M27 x 3R	120	50	58	44
STLE27L07	1	19	M27 x 3L	120	50	58	44
STLE27R08	1	19	M27 x 3R	155	50	58	44
STLE27L08	1	19	M27 x 3L	155	50	58	44
STLE27R09	2	25.4	M27 x 3R	135	56	66	51
STLE27L09	2	25.4	M27 x 3L	135	56	66	51



TOP LINK ASSEMBLIES

THREAD M 30 x 3 (HEAVY DUTY PIPE)

CODE	CODE D1-D2	PIPE L1	THREAD D	MIN.	MAX.
STL3022330H	2-2	330	M30 x 3	460	700
STL3022370H	2-2	370	M30 x 3	500	740
STL3022400H	2-2	400	M30 x 3	530	770
STL3022450H	2-2	450	M30 x 3	580	820
STL3022500H	2-2	500	M30 x 3	630	870
STL3022600H	2-2	600	M30 x 3	730	970



TOP LINK ASSEMBLIES

THREAD M 30 x 3


CODE	CODE D1-D2	PIPE L1	THREAD D	MIN.	MAX.
STL3011370	1-1	370	M30 x 3	500	720
STL3012370	1-2	370	M30 x 3	500	730
STL3022370	2-2	370	M30 x 3	500	740
STL3011400	1-1	400	M30 x 3	530	750
STL3012400	1-2	400	M30 x 3	530	760
STL3022400	2-2	400	M30 x 3	530	770
STL3011450	1-1	450	M30 x 3	580	800
STL3012450	1-2	450	M30 x 3	580	810
STL3022450	2-2	450	M30 x 3	580	820
STL3022460	2-2	460	M30 x 3	590	830
STL3011500	1-1	500	M30 x 3	630	850
STL3012500	1-2	500	M30 x 3	630	860
STL3022500	2-2	500	M30 x 3	630	880
STL3022520	2-2	520	M30 x 3	650	900
STL3022550	2-2	550	M30 x 3	650	930
STL3022560	2-2	560	M30 x 3	690	940
STL3022600	2-2	600	M30 x 3	730	980
STL3022650	2-2	650	M30 x 3	780	1030
STL3022700	2-2	700	M30 x 3	830	1080
STL3022720	2-2	720	M30 x 3	880	1100

TOP LINK ASSEMBLIES

THREAD M 27 x 3



CODE	CODE D1-D2	PIPE L1	THREAD D	MIN.	MAX.
STL2711275	1-1	275	M27 x 3	395	625
STL2722275	2-2	275	M27 x 3	395	645
STL2711320	1-1	320	M27 x 3	440	670
STL2712320	1-2	320	M27 x 3	440	680
STL2722320	2-2	320	M27 x 3	440	690
STL2711350	1-1	350	M27 x 3	470	700
STL2712350	1-2	350	M27 x 3	470	710
STL2722350	2-2	350	M27 x 3	470	720
STL2711370	1-1	370	M27 x 3	490	720
STL2712370	1-2	370	M27 x 3	490	730
STL2722370	2-2	370	M27 x 3	490	740
STL2711380	1-1	380	M27 x 3	500	730
STL2712380	1-2	380	M27 x 3	500	740
STL2722380	2-2	380	M27 x 3	500	750
STL2711400	1-1	400	M27 x 3	520	750
STL2712400	1-2	400	M27 x 3	520	760
STL2722400	2-2	400	M27 x 3	520	770
STL2711430	1-1	430	M27 x 3	550	780
STL2712430	1-2	430	M27 x 3	550	790
STL2722430	2-2	430	M27 x 3	550	800
STL2711450	1-1	450	M27 x 3	570	800
STL2712450	1-2	450	M27 x 3	570	810
STL2722450	2-2	450	M27 x 3	570	820
STL2711470	1-1	470M27 x 3	590		820
STL2712470	1-2	470M27 x 3	590		830
STL2722470	2-2	470M27 x 3	590		840
STL2711500	1-1	500M27 x 3	620		850
STL2712500	1-2	500M27 x 3	620		860
STL2722500	2-2	500M27 x 3	620		870
STL2722550	2-2	550M27 x 3	670		920
STL2722570	2-2	570M27 x 3	690		940



TOP LINK ASSEMBLIES



THREAD M 22 x 2.5

CODE	CODE D1-D2	PIPE L1	THREAD D	MIN.	MAX.
STL2211180	1-1	180	M22 x 2.5	290	440
STL2211220	1-1	220	M22 x 2.5	330	480
STL2211230	1-1	230	M22 x 2.5	340	490
STL2211300	1-1	300	M22 x 2.5	410	560
STL2211280	1-1	280	M22 x 2.5	390	540

TOP LINK ASSEMBLIES



THREAD M 24 x 3

CODE	CODE D1-D2	PIPE L1	THREAD D	MIN.	MAX.
STL2411120	1-1	120	M24 x 3	230	410
STL2411140	1-1	140	M24 x 3	250	430
STL2411150	1-1	150	M24 x 3	260	440
STL2411165	1-1	165	M24 x 3	275	445
STL2411180	1-1	180	M24 x 3	290	470
STL2411200	1-1	200	M24 x 3	310	490
STL2411230	1-1	230	M24 x 3	340	520
STL2411250	1-1	250	M24 x 3	360	540
STL2411270	1-1	270	M24 x 3	380	560
STL2411300	1-1	300	M24 x 3	410	590
STL2411330	1-1	330	M24 x 3	440	620
STL2411370	1-1	370	M24 x 3	470	650
STL2411400	1-1	400	M24 x 3	500	680
STL2422350	2-2	350	M24 x 3	440	620
STL2422400	2-2	400	M24 x 3	500	680




ADJUSTABLE LEVELLING ARM

CODE	L		L1	D	d	H1	h1	d1	h2
	MIN	MAX							
SALA19230	380	530	230	24x3	18	24	72	19.2	44
SALA22230	380	530	230	24x3	18	24	72	22.1	35
SALA19260	410	560	260	24x3	18	24	72	19.2	44
SALA22260	410	560	260	24x3	18	24	72	22.1	35
SALA22340	490	700	340	24x3	16	24	72	22.1	35
SALA22380	520	730	380	24x3	16	24	72	22.1	35





ADJUSTABLE LEVELLING ARM

CODE	L		L1	D	d	H	h	H1	h1
	MIN	MAX							
SALA18200	380	530	200	22x2.5	18	30	60	24	72
SALA18260	450	600	260	24x3	18	40	70	24	72
SALA18290	500	650	290	27x3	18	40	70	24	72



LEVELLING ASSEMBLY





ORELIA GROUP

Head Office: 86/2, Lower Ground Floor,
Government College Rd, Civil Lines,
Ludhiana, Punjab 141001, India

Mr. Vishal

(International Export Manager)

M: +91 9915406626

Email : ib@orelia.co.in

